

Braswell Engineering, Inc. -

FAX COVER SHEET

TO:		and the second s	1					
	De	wberr	4 4	Davi	S			•
		k	J	4	PR "			
	امر	20 0						
DATE	1	· l					· · · · · · · · · · · · · · · · · · ·	
FAX N	JMBER	703	84	9-00	248			
NO OF	PAGES	S COVER	SHEET	4				
COMM	ENTS	Coon	£"	Realm	e" A	le	E-ma	iled
40	you	a low	wi Vesi	th HE	[=look	liver	Shown	tation
0	Cis.	"A".		1 1	· · · · · · · · · · · · · · · · · · ·			
			r	hante	5			
								···

The information contained in this fucsimile transmission is intended solely for the aboved named party, and is considered priviledged and confidential information. If you are not the intended recipient, the distribution, disclosure, copying or taking of any action based on the contents of this transmission is strictly prohibited. If you have received this transmission in error, please immediately destroy this facsimile and contact Braswell Engineering at the number below.

2440 Sandy Plains Road - Building 3, Suite 201 - Marietta, QA 30066 - (770) 565-0035 FAX (770) 977-3851

To:

20/00

Dewberry & Davis

7709773851

Nuclosed are two files in support of our appeal for the Lexington County, FIS on the Congaree River. The file "CONFWAPP.DAT" is the revised input file for the HEC-2 floodway and the "CONFWAPP.OUT" is the associated output file. The input file was modified to reflect the "n" value of 0.90 instead of 0.03 at Cross Section "A" (226700) between GR stations 25101 and 30259.4 and an ET encroachment value of 7.41 at C.S. "A" instead of the modeled 5.41. The resultant floodway would comply with FEMA regulations.

 $\{ T_{i}(u_{i}^{-1}) \}$

TONG TONG 1941 TA

*

1							
LIS	T 92	1	10-20-:0 -01	7:07 OUT			
. X1	215700	30	22200.	22750.	2750.	2750.	2750
,	150.	1	140.	100.	130.	200.	120
<u>_</u>		1700.	120	7600	120	8775	12
GR		22200.	107.6	22210.	106.5	22250.	106.
GR		22370.	103.8	22410.	102.6	22450.	100.
GR		22570.	94.8	22610.	96.9	22650.	92.
GR	110.	22750.	120.	23200	130.	23400.	140
						WAS	5.410
NC				.3	.5		
ET		0.	7, 11	0.	9.11	7.41	1008
	NH9. 0.1		0.12	16095 0.035	19085.	0.12 19665.	
•	NH20334.0.1		0.035	22000. 0.092	25101.	0.035 30259.	4 0.
NH	REVI 11		FLECT EFF	SCTIVE FLOW AR			
NH		10.0	8100	12,	8900	.12	1758
NH		.12	19665.	.038	20334.	.12	20700
4417	23101.		30259.4				
ļ	•	- WAS	,030				
!		===== HEC-2	Tonut fil	le created wit	EXZESCOTO:		•
		===== Versi	UN. 3 OB	te cisaran Att	n Codenz	*****	
				ighted 1986 -	1001	~550F# *******	
:		====== Run D	ate: Tuesd	lay Janurary			
;		===== Run I	ime: 15:28	1.20	, 1330	*****	
Com	mand	41.000	1.		· AkMnewTal-	Keys: X=exit	2-4615
7 7			7	Ob antomo, 11	Authourer.		· -uerb

